



761031 CARBON STEEL

Flanged ANSI 300 zinc-plated/painted (DN>100) carbon steel A216-WCB ball valve, full bore, ANSI B16.10 face to face dimension, Fire Safe, Antistatic Device.

V-Ball option




option V-PACK



Low temperature design
-40°C ON DEMAND

Technical specifications



Stainless steel temperature range: -20° +160°

Carbon steel temperature range: -10° +160°

Vacuum: 10⁻³ torr.

LCB material available for valve temperature limit -20° + 160°

POSITION	PART NAME	MATERIAL	N.° PIECES
1	BODY	A216-WCB	1
2	END CONNECTION	A216-WCB	1
3	BALL	A479-TP304/A351-CF8	1
4	STEM	A479-TP304/17-4-PH	1
5	SCREW	CARBON STEEL	4-8-12
6	NUT	CARBON STEEL	1-2
7	SPRING WASHER	CARBON STEEL	2
8	90° STOP	CARBON STEEL	1
9	PACKING GLAND	A182-F316	2
10	STEM SEAT	PTFE	1
11	HANDLE	CARBON STEEL	1
12	STEM SEAL	GRAPHOIL	1
13	O-RING	FKM	2
14	THRUST WASHER	PTFE	1
15	BODY SEAT	GRAPHOIL	1
16	BODY SEAT	PTFE	1
17	BALL SEAT	PTFE+FIBERGLASS	2
18	SCREW	CARBON STEEL	2
19	SCREW	CARBON STEEL	2
20	BODY HANDLE DN150	EN-GJL 250	1
21	Unscrewing grower	A182-F316	1

SIZE	DN	CODE	D	Y	Z	H	I	L	G	R	P	A	C	T	E	F	ØN	B	KV	PN	KG
1/2"	15	76103104	95	66,5	4xØ16	14,5	61,5	140	85	131	88	52	19	8	M10	7	42-F05	M5	19,2	50	2,30
3/4"	20	76103105	115	82,5	4xØ19	16	61	152	78	131	93	56	19	8	M10	7	42-F04	M5	35	50	3,50
1"	25	76103106	125	89	4xØ20	17,5	70,5	165	96	174	109	72,5	27,5	13	M12	8	50-F5	M6	64,5	50	5,20
1"1/2	40	76103108	155	114,5	4xØ22	21	78,5	190	126	250	133	107	30	10	M16	10	50-F05	M6	174	50	10,00
2"	50	76103110	165	127	8xØ20	22,5	86	216	136,5	321	144	122	38,5	18	M20	14	70-F07	M8	301,3	50	12,00
3"	80	76103114	210	168,5	8xØ22	29	81	283	178,5	381	173	151	43	18	M24	18	102-F10	M10	872,5	50	27,00
4"	100	76103118	255	200	8xØ22	32	88,5	305	219	381	187	165	43	18	M24	18	102-F10	M10	1363,3	50	41,00
6"	150	76103120	320	270	12xØ23	37	172	403	306	700	305	245	68	41	M42	30	125-F12	M12	3671,1	50	93,00
8**	200	76103121	381	330	12xØ26	41,5	251	502	410	700	348	288	68,5	41	M42	30	125-F12	M12	6816,6	25	151,00

* TRUNNION Δp=25 bar

Certifications



TUV SIL 3



FIRE-SAFE Acc. EN ISO 10497/API 607



F.E. TESTED ISO15848-1

Spare Parts

● HANDLES

Code	Material	Size
RI2018	A 37	15
RI2018	A 37	20
RI2019	A 37	25
RI2019	A 37	32
RI2020	A 37	40
RI2016	A 37	50
RI2016	A 37	65
RI2017	A 37	80
RI2017	A 37	100
RI2017	A 37	125
RI2021	A 37	150
RI2021	A 37	200

● SEATS

Code	Material	Size
RI2360	PTFE CARICATO VETRO - GLASS FILLED PTFE	15
RI2361	PTFE CARICATO VETRO - GLASS FILLED PTFE	20
RI2362	PTFE CARICATO VETRO - GLASS FILLED PTFE	25
RI2363	PTFE CARICATO VETRO - GLASS FILLED PTFE	32
RI2364	PTFE CARICATO VETRO - GLASS FILLED PTFE	40
RI2365	PTFE CARICATO VETRO - GLASS FILLED PTFE	50
RI2647	PTFE CARICATO VETRO - GLASS FILLED PTFE	50 SPLIT WAFER
RI2366	PTFE CARICATO VETRO - GLASS FILLED PTFE, PTFE VETRO - GLASS FILLED PTFE	65
RI2367	PTFE CARICATO VETRO - GLASS FILLED PTFE	80
RI2368	PTFE CARICATO VETRO - GLASS FILLED PTFE, PTFE VETRO - GLASS FILLED PTFE	100DIN
RI2369	PTFE CARICATO VETRO - GLASS FILLED PTFE, PTFE VETRO - GLASS FILLED PTFE	100ANSI
RI2370	PTFE CARICATO VETRO - GLASS FILLED PTFE	125
RI2371	PTFE CARICATO VETRO - GLASS FILLED PTFE	150
RI2543	PTFE CARICATO VETRO - GLASS FILLED PTFE	200
RI2347	PTFE CARBOGRAFITE - CARBON FILLED PTFE	15
RI2348	PTFE CARBOGRAFITE - CARBON FILLED PTFE	20
RI2349	PTFE CARBOGRAFITE - CARBON FILLED PTFE	25
RI2350	PTFE CARBOGRAFITE - CARBON FILLED PTFE	32
RI2351	PTFE CARBOGRAFITE - CARBON FILLED PTFE	40
RI2352	PTFE CARBOGRAFITE - CARBON FILLED PTFE	50
RI2648	PTFE CARBOGRAFITE - CARBON FILLED PTFE	50 SPLIT WAFER
RI2353	PTFE CARBOGRAFITE - CARBON FILLED PTFE	65
RI2354	PTFE CARBOGRAFITE - CARBON FILLED PTFE	80
RI2355	PTFE CARBOGRAFITE - CARBON FILLED PTFE	100DIN
RI2356	PTFE CARBOGRAFITE - CARBON FILLED PTFE	100ANSI
RI2357	PTFE CARBOGRAFITE - CARBON FILLED PTFE	125
RI2358	PTFE CARBOGRAFITE - CARBON FILLED PTFE	150
RI2359	PTFE CARBOGRAFITE - CARBON FILLED PTFE	200
RI2373	PTFE CON ANIMA METALLICA - METAL CORE PTFE	15
RI2374	PTFE CON ANIMA METALLICA - METAL CORE PTFE	20
RI2375	PTFE CON ANIMA METALLICA - METAL CORE PTFE	25
RI2376	PTFE CON ANIMA METALLICA - METAL CORE PTFE	32
RI2377	PTFE CON ANIMA METALLICA - METAL CORE PTFE	40
RI2378	PTFE CON ANIMA METALLICA - METAL CORE PTFE	50
RI2649	PTFE CON ANIMA METALLICA - METAL CORE PTFE	50 SPLIT WAFER
RI2379	PTFE CON ANIMA METALLICA - METAL CORE PTFE	65
RI2380	PTFE CON ANIMA METALLICA - METAL CORE PTFE	80
RI2381	PTFE CON ANIMA METALLICA - METAL CORE PTFE	100DIN
RI2382	PTFE CON ANIMA METALLICA - METAL CORE PTFE	100ANSI
RI2383	PTFE CON ANIMA METALLICA - METAL CORE PTFE	125
RI2384	PTFE CON ANIMA METALLICA - METAL CORE PTFE	150
RI2385	PTFE CON ANIMA METALLICA - METAL CORE PTFE	200
RI6161	PTFE	100 Din
RI6161	PTFE	100 Ansi
RI6163	PTFE CARICATO VETRO - GLASS FILLED PTFE	100 Din
RI6163	PTFE CARICATO VETRO - GLASS FILLED PTFE	100 Ansi
RI6162	PTFE CARBOGRAFITE - CARBON FILLED PTFE	100 Din
RI6162	PTFE CARBOGRAFITE - CARBON FILLED PTFE	100 Ansi

● BALL

Code	Material	Size
00304000046	AISI 304	15
00305000075	AISI 304	20
00306000038	AISI 304	25
00307000054	AISI 304	32
00308000029	AISI 304	40
00310000028	AISI 304	50
00312000013	AISI 304	65
00314000016	AISI 304	80
00318007004	AISI 304	100DIN
00318007002	AISI 304	100ANSI
00319007006	AISI 304	125
00320007001	AISI 304	150
00321000028	AISI 304	200
00318007001	AISI 316	100DIN
00318007001	AISI 316	100ANSI
00318007002	AISI 304	100DIN
00318007002	AISI 304	100ANSI
00321000026	AISI 304	200
00377000008	AISI 304	250
00378000008	AISI 304	300
00321000025	AISI 316	200
00377000007	AISI 316	250
00378000007	AISI 316	300

● STEMS ANTISTATIC DEVICE

Code	Material	Size
00404000033	AISI 316	15
00404000033	AISI 316	20
00406000020	AISI 316	25
00406000020	AISI 316	32
00412000014	AISI 316	65

● STEMS

Code	Material	Size
00408000022	AISI 316	40
00410000023	AISI 316	50
00414000006	AISI 304	80
00414000006	AISI 304	100
00414000006	AISI 304	125
00420000008*	AISI 304	150
00420000008*	AISI 304	200
00477000005	17-4-PH	250
00477000005	17-4-PH	300