




776400

Full bore three way flanged PN16 diverter ball valve, stainless steel A182 F316/316L, T multi port ball, with 4 seats.



Technical specifications



POSITION	PART NAME	MATERIAL	N.° PIECES
1	BODY	A479-TP316	1
2	BALL	A479-TP316	1
3	STEM	A479-TP316	1
4	BALL SEAT	PTFE	4
5	THRUST WASHER	PTFE	1
6	END CONNECTION	A182-F316/F316L	1
7	STEM SEAT	GRAPHOIL	1
8	STEM SEAT	PTFE	1
9	PACKING GLAND	A182-F316	2
10	END STOP	A182-F316	1
11	SCREW	STAINLESS STEEL	2
12	SPRING WASHER	A182-F304	2
13	O-RING	FKM	1
14	O-RING	FKM	1
15	WASHER	STAINLESS STEEL	2
16	NUT	STAINLESS STEEL	2
17	HANDLE	A182-F316	1
18	BODY SEAT	PTFE	1
19	STEM RETAINING NUT	A182-F316/F316L	1
20	STEM RETAINING NUT	A182-F316/F316L	1
21	O-RING	FKM	1
22	BODY SEAT	PTFE	2
23	O-RING	FKM	2

SIZE	DN	CODE	Y	Z	L	S	R	P	A	C	T	E	F	ØN	B	KV(L)	PN	KG
1/2"	15	77640004	65	4	99	35	131,5	73	55	20	10	M10	7	42	4	7,6	16	3,70
3/4"	20	77640005	75	4	108	40	174	90	72	28	13	M12	8	50	4	12,2	16	5,50
1"	25	77640006	85	4	115	41,5	174	95	76	27	12	M12	8	50	4	21,1	16	7,00
1"1/4	32	77640007	100	4	140	52,5	250	116	92	31	13	M16	10	50	4	34,6	16	12,50
1"1/2	40	77640008	110	4	150	56,5	321	129	107	38	18,5	M20	14	70	4	48,8	16	16,50
2"	50	77640010	125	4	167	62	321	137	115	38	18,5	M20	14	70	4	85,1	16	22,50
2"1/2	65	77640012	145	4	185	85	321	150	131	41	22,5	M20	14	70	4	138,4	16	37,00
3"	80	77640014	160	8	216	127	381	171	147	40	18	M24	18	102	4	220,1	16	60,00
4"	100	77640018	180	8	244	150	381	192	169	39	18	M24	18	102	4	381,1	16	95,00

Certifications



TUV



ATEX

Spare Parts

● HANDLES

Code	Material	Size
RI2180	AISI 316	15
RI2180	AISI 316	20
RI2181	AISI 316	25
RI2181	AISI 316	32
RI2182	AISI 316	40
RI2182	AISI 316	50
RI2183	AISI 316	65
RI2183	AISI 316	80
RI2184	AISI 316	100
RI2184	AISI 316	125
RI2021	A 37	150
RI2021	A 37	200

